

SEATTLE SPERM BANK

Attn: Dr. Jeffrey Olliffe 4915 25th Ave NE Ste 204w Seattle, WA 98105-5668 Phone: (206) 588-1484

Fax: (206) 466-4696 NPI: 1306838271 Report Date: 02/26/2019 MALE

**DONOR 10346** 

Ethnicity: African or African

American

Sample Type: EDTA Blood Date of Collection: 02/16/2019 Date Received: 02/18/2019 Date Tested: 02/26/2019 Barcode: 11004212653717 Accession ID: CSLQ2VVACFHJLMX Indication: Egg or sperm donor

N/A

FEMALE

# Foresight® Carrier Screen

### **NEGATIVE**

#### **ABOUT THIS TEST**

The **Myriad Foresight Carrier Screen** utilizes sequencing, maximizing coverage across all DNA regions tested, to help you learn about your chance to have a child with a genetic disease.

#### **RESULTS SUMMARY**

Risk Details	<b>DONOR 10346</b>	Partner	
Panel Information	Foresight Carrier Screen Universal Panel ACOG/ACMG/DMD Panel Fundamental Panel (175 conditions tested)	N/A	
All conditions tested A complete list of all conditions tested can be found on page 4.	☐ NEGATIVE No disease-causing mutations wer detected.	N/A e	

#### CLINICAL NOTES

None

### NEXT STEPS

• If necessary, patients can discuss residual risks with their physician or a genetic counselor.



MALE
DONOR 10346
DOB:

Ethnicity: African or African

American

Barcode: 11004212653717

FEMALE N/A

## Methods and Limitations

DONOR 10346 [Foresight Carrier Screen]: Sequencing with copy number analysis, spinal muscular atrophy, and analysis of homologous regions.

### Sequencing with copy number analysis

High-throughput sequencing and read depth-based copy number analysis are used to analyze the listed exons, as well as selected intergenic and intronic regions, of the genes in the Conditions Tested section of the report. The region of interest (ROI) of the test comprises these regions, in addition to the 20 intronic bases flanking each exon. In a minority of cases where genomic features (e.g., long homopolymers) compromise calling fidelity, the affected intronic bases are not included in the ROI. The ROI is sequenced to high coverage and the sequences are compared to standards and references of normal variation. More than 99% of all bases in the ROI are sequenced at greater than the minimum read depth. Mutations may not be detected in areas of lower sequence coverage. Small insertions and deletions may not be as accurately determined as single nucleotide variants. Genes that have closely related pseudogenes may be addressed by a different method. *CFTR* and *DMD* testing includes analysis for both large (exon-level) deletions and duplications with an average sensitivity of 99%, while other genes are only analyzed for large deletions with a sensitivity of >75%. However, the sensitivity may be higher for selected founder deletions. The breakpoints of copy number variants and exons affected are estimated from probe positions. Only exons known to be included in the copy number variant are provided in the name. In some cases, the copy number variant may be larger or smaller than indicated. If *G/B2* is tested, two large upstream deletions which overlap *G/B6* and affect the expression of *G/B2*, del(*G/B6*-D13S1830) and del(*G/B6*-D13S1854), are also analyzed. Mosaicism or somatic variants present at low levels may not be detected. If detected, these may not be reported.

Detection rates are determined by using literature to estimate the fraction of disease alleles, weighted by frequency, that the methodology is unable to detect. Detection rates only account for analytical sensitivity and certain variants that have been previously described in the literature may not be reported if there is insufficient evidence for pathogenicity. Detection rates do not account for the disease-specific rates of de novo mutations.

All variants that are a recognized cause of the disease will be reported. In addition, variants that have not previously been established as a recognized cause of disease may be identified. In these cases, only variants classified as "likely" pathogenic are reported. Likely pathogenic variants are described elsewhere in the report as "likely to have a negative impact on gene function". Likely pathogenic variants are evaluated and classified by assessing the nature of the variant and reviewing reports of allele frequencies in cases and controls, functional studies, variant annotation and effect prediction, and segregation studies. Exon level duplications are assumed to be in tandem and are classified according to their predicted effect on the reading frame. Benign variants, variants of uncertain significance, and variants not directly associated with the intended disease phenotype are not reported. Curation summaries of reported variants are available upon request.

### Spinal muscular atrophy

Targeted copy number analysis is used to determine the copy number of exon 7 of the *SMN1* gene relative to other genes. Other mutations may interfere with this analysis. Some individuals with two copies of *SMN1* are carriers with two *SMN1* genes on one chromosome and a *SMN1* deletion on the other chromosome. This is more likely in individuals who have 2 copies of the *SMN1* gene and are positive for the g.27134T>G SNP, which affects the reported residual risk; Ashkenazi Jewish or Asian patients with this genotype have a high post-test likelihood of being carriers for SMA and are reported as carriers. The g.27134T>G SNP is only reported in individuals who have 2 copies of *SMN1*.

### Analysis of homologous regions

A combination of high-throughput sequencing, read depth-based copy number analysis, and targeted genotyping is used to determine the number of functional gene copies and/or the presence of selected loss of function mutations in certain genes that have homology to other regions. The precise breakpoints of large deletions in these genes cannot be determined, but are estimated from copy number analysis. High numbers of pseudogene copies may interfere with this analysis.

If *CYP21A2* is tested, patients who have one or more additional copies of the *CYP21A2* gene and a loss of function mutation may not actually be a carrier of 21-hydroxylase-deficient congenital adrenal hyperplasia (CAH). Because the true incidence of non-classic CAH is unknown, the residual carrier and reproductive risk numbers on the report are only based on published incidences for classic CAH. However, the published prevalence of non-classic CAH is highest in individuals of Ashkenazi Jewish, Hispanic, Italian, and Yugoslav descent. Therefore, the residual and reproductive risks are likely an underestimate of overall chances for 21-hydroxylase-deficient CAH, especially in the aforementioned populations, as they do not account for non-classic CAH. If *HBA11HBA2* are tested, some individuals with four alpha globin genes may be carriers, with three genes on one chromosome and a deletion on the other chromosome. This and similar, but rare, carrier states, where complementary changes exist in both the gene and a pseudogene, may not be detected by the assay.



MALE

DONOR 10346

DOB:

Ethnicity: African or African

American

Barcode: 11004212653717

FEMALE N/A

### Limitations

In an unknown number of cases, nearby genetic variants may interfere with mutation detection. Other possible sources of diagnostic error include sample mix-up, trace contamination, bone marrow transplantation, blood transfusions and technical errors. This test is designed to detect and report germline alterations. While somatic variants present at low levels may be detected, these may not be reported. If more than one variant is detected in a gene, additional studies may be necessary to determine if those variants lie on the same chromosome or different chromosomes. The test does not fully address all inherited forms of intellectual disability, birth defects and genetic disease. A family history of any of these conditions may warrant additional evaluation. Furthermore, not all mutations will be identified in the genes analyzed and additional testing may be beneficial for some patients. For example, individuals of African, Southeast Asian, and Mediterranean ancestry are at increased risk for being carriers for hemoglobinopathies, which can be identified by CBC and hemoglobin electrophoresis or HPLC (ACOG Practice Bulletin No. 78. Obstet. Gynecol. 2007;109:229-37).

This test was developed and its performance characteristics determined by Myriad Women's Health, Inc. It has not been cleared or approved by the US Food and Drug Administration (FDA). The FDA does not require this test to go through premarket review. This test is used for clinical purposes. It should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA) as qualified to perform high-complexity clinical testing. These results are adjunctive to the ordering physician's evaluation. CLIA Number: #05D1102604.

LABORATORY DIRECTOR

Hyunseok Kang

H. Peter Kang, MD, MS, FCAP

Report content approved by Jack Ji, PhD, FACMG on Feb 27, 2019



**SEATTLE SPERM BANK** 

Attn: Dr. Jeffrey Olliffe **NPI:** 1306838271

Report Date: 02/26/2019

MALE

**DONOR 10346** 

DOB: I Ethnicity: African or African

American

Barcode: 11004212653717

**FEMALE** N/A

# Conditions Tested

11-beta-hydroxylase-deficient Congenital Adrenal Hyperplasia - Gene: CYP11B1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000497:1-9. Detection Rate: African or African American 94%.

21-hydroxylase-deficient Congenital Adrenal Hyperplasia - Gene: CYP21A2. Autosomal Recessive. Analysis of homologous regions. Variants (13): CYP21A2 deletion, CYP21A2 duplication, CYP21A2 triplication, G111Vfs\*21, I173N, L308Ffs\*6, P31L, Q319\*, Q319\*+CYP21A2dup, R357W, V281L, [I237N;V238E;M240K], c.293-13C>G. Detection Rate: African or African American 92%.

6-pyruvoyl-tetrahydropterin Synthase Deficiency - Gene: PTS. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000317:1-6. Detection Rate: African or African American >99%.

ABCC8-related Familial Hyperinsulinism - Gene: ABCC8. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000352:1-39. Detection Rate: African or African American >99%

Adenosine Deaminase Deficiency - Gene: ADA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000022:1-12. Detection Rate: African or African American >99%.

Alpha Thalassemia - Genes: HBA1, HBA2. Autosomal Recessive. Analysis of homologous regions. Variants (13): -(alpha)20.5, --BRIT, --MEDI, --MEDII, --SEA, --THAI or --FIL, -alpha3.7, -alpha4.2, HBA1+HBA2 deletion, Hb Constant Spring, anti3.7, anti4.2, del HS-40. Detection Rate: African or African American 90%.

Alpha-mannosidosis - Gene: MAN2B1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000528:1-23. Detection Rate: African or African American >99%

Alpha-sarcoglycanopathy - Gene: SGCA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000023:1-9. Detection Rate: African or African

Alstrom Syndrome - Gene: ALMS1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_015120:1-23. Detection Rate: African or African

AMT-related Glycine Encephalopathy - Gene: AMT. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000481:1-9. Detection Rate: African or African American >99%.

Andermann Syndrome - Gene: SLC12A6. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_133647:1-25. Detection Rate: African or African American >99%

Argininemia - Gene: ARG1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000045:1-8. Detection Rate: African or African American 97%. Argininosuccinic Aciduria - Gene: ASL. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_001024943:1-16. Detection Rate: African or African American >99%

ARSACS - Gene: SACS. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_014363:2-10. Detection Rate: African or African American 99%. Aspartylglucosaminuria - Gene: AGA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000027:1-9. Detection Rate: African or African American >99%

Ataxia with Vitamin E Deficiency - Gene: TTPA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000370:1-5. Detection Rate: African or African American >99%.

Ataxia-telangiectasia - Gene: ATM. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000051:2-63. Detection Rate: African or African

ATP7A-related Disorders - Gene: ATP7A. X-linked Recessive. Sequencing with copy number analysis. Exons: NM\_000052:2-23. Detection Rate: African or African American 92%.

Autoimmune Polyglandular Syndrome Type 1 - Gene: AIRE. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000383:1-14. Detection Rate: African or African American >99%

Autosomal Recessive Osteopetrosis Type 1 - Gene: TCIRG1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_006019:2-20. Detection Rate: African or African American >99%

Autosomal Recessive Polycystic Kidney Disease, PKHD1-related - Gene: PKHD1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_138694:2-67. Detection Rate: African or African American >99%.

Bardet-Biedl Syndrome, BBS1-related - Gene: BBS1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_024649:1-17. Detection Rate: African or African American >99%.

Bardet-Biedl Syndrome, BBS10-related - Gene: BBS10. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_024685:1-2. Detection Rate: African or African American >99%.

Bardet-Biedl Syndrome, BBS12-related - Gene: BBS12. Autosomal Recessive. Sequencing with copy number analysis. Exon: NM\_152618:2. Detection Rate: African or African American >99%.

Bardet-Biedl Syndrome, BBS2-related - Gene: BBS2. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_031885:1-17. Detection Rate: African or African American >99%

Beta-sarcoglycanopathy - Gene: SGCB. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000232:1-6. Detection Rate: African or African American >99%.

Biotinidase Deficiency - Gene: BTD. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000060:1-4. Detection Rate: African or African American >99%.

Bloom Syndrome - Gene: BLM. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000057:2-22. Detection Rate: African or African American >99%.

Calpainopathy - Gene: CAPN3. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000070:1-24. Detection Rate: African or African American

Canavan Disease - Gene: ASPA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000049:1-6. Detection Rate: African or African American 98%.

Carbamoylphosphate Synthetase I Deficiency - Gene: CPS1. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_001875:1-38. Detection Rate: African or African American >99%.

Carnitine Palmitoyltransferase IA Deficiency - Gene: CPT1A. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_001876:2-19. Detection Rate: African or African American >99%.

Carnitine Palmitoyltransferase II Deficiency - Gene: CPT2. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000098:1-5. Detection Rate: African or African American >99%.

Cartilage-hair Hypoplasia - Gene: RMRP. Autosomal Recessive. Sequencing with copy number analysis. Exon: NR\_003051:1. Detection Rate: African or African American >99%

Cerebrotendinous Xanthomatosis - Gene: CYP27A1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000784:1-9. Detection Rate: African or African American >99%.

Citrullinemia Type 1 - Gene: ASS1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000050:3-16. Detection Rate: African or African American >99%.

CLN3-related Neuronal Ceroid Lipofuscinosis - Gene: CLN3. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_001042432:2-16. Detection Rate: African or African American >99%.

CLN5-related Neuronal Ceroid Lipofuscinosis - Gene: CLN5. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_006493:1-4. Detection Rate: African or African American >99%.

CLN6-related Neuronal Ceroid Lipofuscinosis - Gene: CLN6. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_017882:1-7. Detection Rate: African or African American >99%.

Cohen Syndrome - Gene: VPS13B. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_017890:2-62. Detection Rate: African or African American 97%

COL4A3-related Alport Syndrome - Gene: COL4A3. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000091:1-52. Detection Rate: African or African American 97%.

COL4A4-related Alport Syndrome - Gene: COL4A4. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000092:2-48. Detection Rate: African or African American 98%.



SEATTLE SPERM BANK
Attn: Dr. Jeffrey Olliffe
NPI: 1306838271

Report Date: 02/26/2019

MALE

DONOR 10346

DOB: Ethnicity: African or African

American

Barcode: 11004212653717

FEMALE N/A

**Combined Pituitary Hormone Deficiency, PROP1-related** - **Gene**: PROP1. Autosomal Recessive. Sequencing with copy number analysis. **Exons**:

NM\_006261:1-3. **Detection Rate**: African or African American >99%. **Congenital Disorder of Glycosylation Type Ia** - Gene: PMM2. Autosomal

Recessive. Sequencing with copy number analysis. Exons: NM\_000303:1-8. Detection Rate: African or African American >99%.

Congenital Disorder of Glycosylation Type Ib - Gene: MPI. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_002435:1-8. Detection Rate: African or African American >99%.

**Congenital Disorder of Glycosylation Type Ic** - **Gene**: ALG6. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_013339:2-15. **Detection Rate**: African or African American >99%.

**Congenital Finnish Nephrosis** - **Gene**: NPHS1. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_004646:1-29. **Detection Rate**: African or African American >99%.

**Costeff Optic Atrophy Syndrome** - **Gene**: OPA3. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_025136:1-2. **Detection Rate**: African or African American >99%.

**Cystic Fibrosis** - **Gene**: CFTR. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000492:1-27. IVS8-5T allele analysis is only reported in the presence of the R117H mutation. **Detection Rate**: African or African American >99%.

**Cystinosis** - **Gene**: CTNS. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_004937:3-12. **Detection Rate**: African or African American >99%

**D-bifunctional Protein Deficiency** - **Gene**: HSD17B4. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000414:1-24. **Detection Rate**: African or African American 98%.

**Delta-sarcoglycanopathy** - **Gene**: SGCD. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000337:2-9. **Detection Rate**: African or African American 99%.

**Dihydrolipoamide Dehydrogenase Deficiency - Gene:** DLD. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000108:1-14. **Detection Rate:** African or African American >99%.

**Dysferlinopathy** - **Gene:** DYSF. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_003494:1-55. **Detection Rate:** African or African American 98%.

Dystrophinopathy (Including Duchenne/Becker Muscular Dystrophy) - Gene: DMD. X-linked Recessive. Sequencing with copy number analysis. Exons: NM 004006:1-79. Detection Rate: African or African American >99%.

**ERCC6-related Disorders - Gene:** ERCC6. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000124:2-21. **Detection Rate:** African or African American 2004.

**ERCC8-related Disorders - Gene**: ERCC8. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000082:1-12. **Detection Rate**: African or African American 95%.

**EVC-related Ellis-van Creveld Syndrome** - **Gene**: EVC. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_153717:1-21. **Detection Rate**: African or African American 96%.

**EVC2-related Ellis-van Creveld Syndrome - Gene:** EVC2. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_147127:1-22. **Detection Rate:** African or African American >99%.

Fabry Disease - Gene: GLA. X-linked Recessive. Sequencing with copy number analysis. Exons: NM\_000169:1-7. Detection Rate: African or African American 98%. Familial Dysautonomia - Gene: IKBKAP. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_003640:2-37. Detection Rate: African or African American >90%

**Familial Mediterranean Fever** - **Gene**: MEFV. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000243:1-10. **Detection Rate**: African or African American >99%.

**Fanconi Anemia Complementation Group A** - **Gene**: FANCA. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000135:1-43. **Detection Rate**: African or African American 92%.

**Fanconi Anemia, FANCC-related** - **Gene:** FANCC. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000136:2-15. **Detection Rate:** African or African American >99%.

**FKRP-related Disorders** - **Gene**: FKRP. Autosomal Recessive. Sequencing with copy number analysis. **Exon**: NM\_024301:4. **Detection Rate**: African or African American >99%.

**FKTN-related Disorders** - **Gene**: FKTN. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_001079802:3-11. **Detection Rate**: African or African American >99%.

**Galactokinase Deficiency** - **Gene:** GALK1. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000154:1-8. **Detection Rate:** African or African American >99%.

**Galactosemia** - **Gene:** GALT. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000155:1-11. **Detection Rate:** African or African American >99%.

**Gamma-sarcoglycanopathy** - **Gene**: SGCG. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000231:2-8. **Detection Rate**: African or African American 88%.

**Gaucher Disease** - **Gene**: GBA. Autosomal Recessive. Analysis of homologous regions. **Variants (10)**: D409V, D448H, IVS2+1G>A, L444P, N370S, R463C, R463H, R496H, V394L, p.L29Afs\*18. **Detection Rate:** African or African American 60%.

**GJB2-related DFNB1 Nonsyndromic Hearing Loss and Deafness - Gene:** GJB2. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_004004:1-2. **Detection Rate:** African or African American >99%.

**GLB1-related Disorders - Gene**: GLB1. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000404:1-16. **Detection Rate**: African or African American >99%.

**GLDC-related Glycine Encephalopathy** - **Gene:** GLDC. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000170:1-25. **Detection Rate:** African or African American 94%.

**Glutaric Acidemia, GCDH-related - Gene**: GCDH. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000159:2-12. **Detection Rate**: African or African American >99%.

**Glycogen Storage Disease Type Ia** - **Gene**: G6PC. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000151:1-5. **Detection Rate**: African or African American >99%.

**Glycogen Storage Disease Type Ib - Gene**: SLC37A4. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_001164277:3-11. **Detection Rate**: African or African American >99%.

**Glycogen Storage Disease Type III - Gene**: AGL. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000642:2-34. **Detection Rate**: African or African American >99%.

**GNPTAB-related Disorders** - **Gene:** GNPTAB. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_024312:1-21. **Detection Rate:** African or African American >99%.

**GRACILE Syndrome** - **Gene:** BCS1L. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_004328:3-9. **Detection Rate:** African or African American >99%.

**HADHA-related Disorders** - **Gene:** HADHA. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000182:1-20. **Detection Rate:** African or African American >99%.

Hb Beta Chain-related Hemoglobinopathy (Including Beta Thalassemia and Sickle Cell Disease) - Gene: HBB. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000518:1-3. Detection Rate: African or African American >99%.

**Hereditary Fructose Intolerance** - **Gene**: ALDOB. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000035:2-9. **Detection Rate**: African or African American >99%.

Herlitz Junctional Epidermolysis Bullosa, LAMA3-related - Gene: LAMA3. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000227:1-38. Detection Rate: African or African American >99%. Herlitz Junctional Epidermolysis Bullosa, LAMB3-related - Gene: LAMB3.

Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000228:2-23. **Detection Rate:** African or African American >99%.

**Herlitz Junctional Epidermolysis Bullosa, LAMC2-related** - **Gene:** LAMC2. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** 

NM\_005562:1-23. **Detection Rate**: African or African American >99%. **Hexosaminidase A Deficiency (Including Tay-Sachs Disease)** - **Gene**: HEXA. Autosomal Recessive. Sequencing with copy number analysis. **Exons**:

NM\_000520:1-14. **Detection Rate**: African or African American >99%. **HMG-CoA Lyase Deficiency** - **Gene**: HMGCL. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000191:1-9. **Detection Rate**: African or African American 98%.

**Holocarboxylase Synthetase Deficiency - Gene**: HLCS. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000411:4-12. **Detection Rate**: African or African American >99%.



**SEATTLE SPERM BANK** Attn: Dr. Jeffrey Olliffe

NPI: 1306838271 Report Date: 02/26/2019

DOB: I Ethnicity: African or African

American

MALE **DONOR 10346** 

Barcode: 11004212653717

Homocystinuria Caused by Cystathionine Beta-synthase Deficiency - Gene:

CBS. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000071:3-17. Detection Rate: African or African American >99%.

Hydrolethalus Syndrome - Gene: HYLS1. Autosomal Recessive. Sequencing with copy number analysis. Exon: NM\_145014:4. Detection Rate: African or African American >99%

Hypophosphatasia - Gene: ALPL. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000478:2-12. Detection Rate: African or African

Inclusion Body Myopathy 2 - Gene: GNE. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_001128227:1-12. Detection Rate: African or African American >99%.

Isovaleric Acidemia - Gene: IVD. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_002225:1-12. Detection Rate: African or African American >99%

Joubert Syndrome 2 - Gene: TMEM216. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_001173990:1-5. Detection Rate: African or African American >99%.

KCNJ11-related Familial Hyperinsulinism - Gene: KCNJ11. Autosomal Recessive. Sequencing with copy number analysis. **Exon:** NM\_000525:1. **Detection Rate:** African or African American >99%.

Krabbe Disease - Gene: GALC. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000153:1-17. Detection Rate: African or African American >99%.

LAMA2-related Muscular Dystrophy - Gene: LAMA2. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000426:1-65. Detection Rate: African or African American >99%.

Leigh Syndrome, French-Canadian Type - Gene: LRPPRC. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_133259:1-38. Detection Rate: African or African American >99%

Lipoid Congenital Adrenal Hyperplasia - Gene: STAR. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000349:1-7. Detection Rate: African or African American >99%.

Lysosomal Acid Lipase Deficiency - Gene: LIPA, Autosomal Recessive, Sequencing with copy number analysis. Exons: NM\_000235:2-10. Detection Rate: African or African American >99%.

Maple Syrup Urine Disease Type 1B - Gene: BCKDHB. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_183050:1-10. Detection Rate: African or African American >99%.

Maple Syrup Urine Disease Type Ia - Gene: BCKDHA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000709:1-9. Detection Rate: African or African American >99%.

Maple Syrup Urine Disease Type II - Gene: DBT. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_001918:1-11. Detection Rate: African or African American 96%.

Medium Chain Acyl-CoA Dehydrogenase Deficiency - Gene: ACADM. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000016:1-12. Detection Rate: African or African American >99%

Megalencephalic Leukoencephalopathy with Subcortical Cysts - Gene: MLC1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_015166:2-12. Detection Rate: African or African American >99%.

Metachromatic Leukodystrophy - Gene: ARSA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000487:1-8. Detection Rate: African or African American >99%.

Methylmalonic Acidemia, cblA Type - Gene: MMAA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM 172250:2-7. Detection Rate: African or African American >99%.

Methylmalonic Acidemia, cblB Type - Gene: MMAB. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_052845:1-9. Detection Rate: African or African American >99%.

Methylmalonic Aciduria and Homocystinuria, cblC Type - Gene: MMACHC. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_015506:1-4. Detection Rate: African or African American >99%.

MKS1-related Disorders - Gene: MKS1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_017777:1-18. Detection Rate: African or African American >99%.

Mucolipidosis III Gamma - Gene: GNPTG. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_032520:1-11. Detection Rate: African or African American >99%.

Mucolipidosis IV - Gene: MCOLN1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_020533:1-14. Detection Rate: African or African American >99%

**FEMALE** 

N/A

Mucopolysaccharidosis Type I - Gene: IDUA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000203:1-14. Detection Rate: African or African American >99%

Mucopolysaccharidosis Type II - Gene: IDS. X-linked Recessive. Sequencing with copy number analysis. Exons: NM\_000202:1-9. Detection Rate: African or African

Mucopolysaccharidosis Type IIIA - Gene: SGSH. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000199:1-8. Detection Rate: African or African American >99%.

Mucopolysaccharidosis Type IIIB - Gene: NAGLU. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000263:1-6. Detection Rate: African or African American >99%

Mucopolysaccharidosis Type IIIC - Gene: HGSNAT. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_152419:1-18. Detection Rate: African or African American >99%.

Muscle-eye-brain Disease - Gene: POMGNT1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_017739:2-22. Detection Rate: African or African American 96%

MUT-related Methylmalonic Acidemia - Gene: MUT. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000255:2-13. **Detection Rate:** African or African American >99%.

MYO7A-related Disorders - Gene: MYO7A. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000260:2-49. Detection Rate: African or African American >99%.

NEB-related Nemaline Myopathy - Gene: NEB. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_001271208:3-80,117-183. Detection Rate: African or African American 92%

Nephrotic Syndrome, NPHS2-related - Gene: NPHS2. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_014625:1-8. Detection Rate: African or African American >99%.

Niemann-Pick Disease Type C - Gene: NPC1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000271:1-25. Detection Rate: African or African American >99%.

Niemann-Pick Disease Type C2 - Gene: NPC2. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_006432:1-5. Detection Rate: African or African American >99%.

Niemann-Pick Disease, SMPD1-associated - Gene: SMPD1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000543:1-6. Detection Rate: African or African American >99%

Nijmegen Breakage Syndrome - Gene: NBN. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_002485:1-16. Detection Rate: African or African American >99%.

Northern Epilepsy - Gene: CLN8. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_018941:2-3. Detection Rate: African or African American >99%

Ornithine Transcarbamylase Deficiency - Gene: OTC. X-linked Recessive. Sequencing with copy number analysis. Exons: NM\_000531:1-10. Detection Rate: African or African American 97%.

PCCA-related Propionic Acidemia - Gene: PCCA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000282:1-24. Detection Rate: African or African American 95%

PCCB-related Propionic Acidemia - Gene: PCCB. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000532:1-15. Detection Rate: African or African American >99%

PCDH15-related Disorders - Gene: PCDH15. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_033056:2-33. Detection Rate: African or African

Pendred Syndrome - Gene: SLC26A4. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000441:2-21. Detection Rate: African or African American >99%

Peroxisome Biogenesis Disorder Type 3 - Gene: PEX12. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000286:1-3. Detection Rate: African or African American >99%.

Peroxisome Biogenesis Disorder Type 4 - Gene: PEX6. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000287:1-17. Detection Rate: African or African American 97%.



SEATTLE SPERM BANK
Attn: Dr. Jeffrey Olliffe
NPI: 1306838271

Report Date: 02/26/2019

MALE

**DONOR 10346** 

DOB: Ethnicity: African or African

American

Barcode: 11004212653717

FEMALE N/A

Peroxisome Biogenesis Disorder Type 5 - Gene: PEX2. Autosomal Recessive. Sequencing with copy number analysis. Exon: NM\_000318:4. Detection Rate: African or African American > 99%.

**Peroxisome Biogenesis Disorder Type 6** - **Gene**: PEX10. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_153818:1-6. **Detection Rate**: African or African American >99%.

**PEX1-related Zellweger Syndrome Spectrum** - **Gene**: PEX1. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000466:1-24. **Detection Rate**: African or African American >99%.

Phenylalanine Hydroxylase Deficiency - Gene: PAH. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000277:1-13. Detection Rate: African or African American >99%.

Pompe Disease - Gene: GAA. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000152:2-20. Detection Rate: African or African American >99%.

**PPT1-related Neuronal Ceroid Lipofuscinosis - Gene**: PPT1. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000310:1-9. **Detection Rate**: African or African American >99%.

**Primary Carnitine Deficiency** - **Gene**: SLC22A5. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_003060:1-10. **Detection Rate**: African or African American >99%.

**Primary Hyperoxaluria Type 1** - **Gene:** AGXT. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000030:1-11. **Detection Rate:** African or African American >99%.

**Primary Hyperoxaluria Type 2 - Gene:** GRHPR. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_012203:1-9. **Detection Rate:** African or African American >99%.

**Primary Hyperoxaluria Type 3 - Gene:** HOGA1. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_138413:1-7. **Detection Rate:** African or African American >99%.

Pycnodysostosis - Gene: CTSK. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000396:2-8. Detection Rate: African or African American >99%. Pyruvate Carboxylase Deficiency - Gene: PC. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000920:3-22. Detection Rate: African or African American >99%.

Rhizomelic Chondrodysplasia Punctata Type 1 - Gene: PEX7. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000288:1-10. Detection Rate: African or African American >99%.

**RTEL1-related Disorders** - **Gene**: RTEL1. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_032957:2-35. **Detection Rate**: African or African American >99%.

**Salla Disease** - **Gene**: SLC17A5. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_012434:1-11. **Detection Rate**: African or African American 98%. **Sandhoff Disease** - **Gene**: HEXB. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000521:1-14. **Detection Rate**: African or African American 99%.

**Segawa Syndrome** - **Gene**: TH. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_199292:1-14. **Detection Rate**: African or African American >99%.

**Short-chain Acyl-CoA Dehydrogenase Deficiency** - **Gene**: ACADS. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000017:1-10. **Detection Rate**: African or African American >99%.

**Sjogren-Larsson Syndrome** - **Gene**: ALDH3A2. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000382:1-10. **Detection Rate**: African or African American 97%.

Smith-Lemli-Opitz Syndrome - Gene: DHCR7. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_001360:3-9. Detection Rate: African or African American >99%.

Spastic Paraplegia Type 15 - Gene: ZFYVE26. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_015346:2-42. Detection Rate: African or African American >99%.

**Spinal Muscular Atrophy** - **Gene**: SMN1. Autosomal Recessive. Spinal muscular atrophy. **Variant (1)**: SMN1 copy number. **Detection Rate**: African or African American 71%.

Spondylothoracic Dysostosis - Gene: MESP2. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_001039958:1-2. Detection Rate: African or African American >99%.

Sulfate Transporter-related Osteochondrodysplasia - Gene: SLC26A2. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM\_000112:2-3. Detection Rate: African or African American >99%.

TGM1-related Autosomal Recessive Congenital Ichthyosis - Gene: TGM1. Autosomal Recessive. Sequencing with copy number analysis. Exons: NM 000359:2-15. Detection Rate: African or African American >99%.

**TPP1-related Neuronal Ceroid Lipofuscinosis - Gene**: TPP1. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000391:1-13. **Detection Rate**: African or African American >99%.

**Tyrosinemia Type I - Gene**: FAH. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000137:1-14. **Detection Rate**: African or African American >99%.

**Tyrosinemia Type II** - **Gene:** TAT. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000353:2-12. **Detection Rate:** African or African American >99%.

**USH1C-related Disorders** - **Gene:** USH1C. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_005709:1-21. **Detection Rate:** African or African American >99%.

**USH2A-related Disorders** - **Gene:** USH2A. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_206933:2-72. **Detection Rate:** African or African American 94%.

**Usher Syndrome Type 3** - **Gene**: CLRN1. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_174878:1-3. **Detection Rate**: African or African American >99%.

**Very-long-chain Acyl-CoA Dehydrogenase Deficiency** - **Gene**: ACADVL. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000018:1-20. **Detection Rate**: African or African American >99%.

**Wilson Disease** - **Gene**: ATP7B. Autosomal Recessive. Sequencing with copy number analysis. **Exons**: NM\_000053:1-21. **Detection Rate**: African or African American >99%.

**X-linked Adrenoleukodystrophy** - **Gene:** ABCD1. X-linked Recessive. Sequencing with copy number analysis. **Exons:** NM\_000033:1-6. **Detection Rate:** African or African American 77%.

X-linked Alport Syndrome - Gene: COL4A5. X-linked Recessive. Sequencing with copy number analysis. Exons: NM\_000495:1-51. Detection Rate: African or African American 95%.

X-linked Congenital Adrenal Hypoplasia - Gene: NR0B1. X-linked Recessive. Sequencing with copy number analysis. Exons: NM\_000475:1-2. Detection Rate: African or African American 99%.

X-linked Juvenile Retinoschisis - Gene: RS1. X-linked Recessive. Sequencing with copy number analysis. Exons: NM\_000330:1-6. Detection Rate: African or African American 98%.

**X-linked Myotubular Myopathy** - **Gene:** MTM1. X-linked Recessive. Sequencing with copy number analysis. **Exons:** NM\_000252:2-15. **Detection Rate:** African or African American 98%.

X-linked Severe Combined Immunodeficiency - Gene: IL2RG. X-linked Recessive. Sequencing with copy number analysis. Exons: NM\_000206:1-8. Detection Rate: African or African American >99%.

**Xeroderma Pigmentosum Group A** - **Gene:** XPA. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_000380:1-6. **Detection Rate:** African or African American >99%.

**Xeroderma Pigmentosum Group C** - **Gene:** XPC. Autosomal Recessive. Sequencing with copy number analysis. **Exons:** NM\_004628:1-16. **Detection Rate:** African or African American 97%.



MALE DONOR 10346

DOB: Ethnicity: African or African

American

Barcode: 11004212653717

FEMALE N/A

# Risk Calculations

Below are the risk calculations for all conditions tested. Since negative results do not completely rule out the possibility of being a carrier, the **residual risk** represents the patient's post-test likelihood of being a carrier and the **reproductive risk** represents the likelihood the patient's future children could inherit each disease. These risks are inherent to all carrier screening tests, may vary by ethnicity, are predicated on a negative family history and are present even after a negative test result. Inaccurate reporting of ethnicity may cause errors in risk calculation. The reproductive risk presented is based on a hypothetical pairing with a partner of the same ethnic group.

Disease	DONOR 10346 Residual Risk	Reproductive Risk
1-beta-hydroxylase-deficient Congenital Adrenal Hyperplasia	1 in 3,300	< 1 in 1,000,000
1-hydroxylase-deficient Congenital Adrenal Hyperplasia	1 in 1,400	1 in 660,000
-pyruvoyl-tetrahydropterin Synthase Deficiency	< 1 in 50,000	< 1 in 1,000,000
BCC8-related Familial Hyperinsulinism	1 in 17,000	< 1 in 1,000,000
denosine Deaminase Deficiency	1 in 39,000	< 1 in 1,000,000
lpha Thalassemia	Alpha globin status: aa/aa.	Not calculated
Ipha-mannosidosis	1 in 35,000	< 1 in 1,000,000
lpha-sarcoglycanopathy	1 in 45,000	< 1 in 1,000,000
Istrom Syndrome	< 1 in 50,000	< 1 in 1,000,000
MT-related Glycine Encephalopathy	1 in 22,000	< 1 in 1,000,000
ndermann Syndrome	< 1 in 50,000	< 1 in 1,000,000
rgininemia	< 1 in 17,000	< 1 in 1,000,000
rgininosuccinic Aciduria	1 in 13,000	< 1 in 1,000,000
RSACS	< 1 in 44,000	< 1 in 1,000,000
spartylglucosaminuria	< 1 in 50,000	< 1 in 1,000,000
taxia with Vitamin E Deficiency	< 1 in 50,000	< 1 in 1,000,000
taxia-telangiectasia	1 in 12,000	< 1 in 1,000,000
TP7A-related Disorders	< 1 in 1,000,000	1 in 600,000
utoimmune Polyglandular Syndrome Type 1	1 in 18,000	< 1 in 1,000,000
utosomal Recessive Osteopetrosis Type 1	1 in 35,000	< 1 in 1,000,000
utosomal Recessive Polycystic Kidney Disease, PKHD1-related	1 in 8,100	< 1 in 1,000,000
ardet-Biedl Syndrome, BBS1-related	1 in 16,000	< 1 in 1,000,000
ardet-Biedl Syndrome, BBS10-related	1 in 44,000	< 1 in 1,000,000
ardet-Biedl Syndrome, BBS12-related	< 1 in 50,000	< 1 in 1,000,000
ardet-Biedl Syndrome, BBS2-related	< 1 in 50,000	< 1 in 1,000,000
eta-sarcoglycanopathy	< 1 in 50,000	< 1 in 1,000,000
iotinidase Deficiency	1 in 38,000	< 1 in 1,000,000
loom Syndrome	< 1 in 50,000	< 1 in 1,000,000
alpainopathy	1 in 13,000	< 1 in 1,000,000
anavan Disease	1 in 9,700	< 1 in 1,000,000
arbamoylphosphate Synthetase I Deficiency	< 1 in 57,000	< 1 in 1,000,000
arnitine Palmitoyltransferase IA Deficiency	< 1 in 50,000	< 1 in 1,000,000
arnitine Palmitoyltransferase II Deficiency	1 in 18,000	< 1 in 1,000,000
artilage-hair Hypoplasia	< 1 in 50,000	< 1 in 1,000,000
erebrotendinous Xanthomatosis	1 in 11,000	< 1 in 1,000,000
	1 in 12,000	< 1 in 1,000,000
itrullinemia Type 1	•	
LN3-related Neuronal Ceroid Lipofuscinosis	1 in 13,000	< 1 in 1,000,000
LNS-related Neuronal Ceroid Lipofuscinosis	< 1 in 50,000	< 1 in 1,000,000
LN6-related Neuronal Ceroid Lipofuscinosis	< 1 in 50,000	< 1 in 1,000,000
ohen Syndrome	< 1 in 15,000	< 1 in 1,000,000
OL4A3-related Alport Syndrome	1 in 11,000	< 1 in 1,000,000
OL4A4-related Alport Syndrome	1 in 21,000	< 1 in 1,000,000
ombined Pituitary Hormone Deficiency, PROP1-related	1 in 6,100	< 1 in 1,000,000
ongenital Disorder of Glycosylation Type Ia	1 in 16,000	< 1 in 1,000,000
ongenital Disorder of Glycosylation Type Ib	< 1 in 50,000	< 1 in 1,000,000
ongenital Disorder of Glycosylation Type Ic	< 1 in 50,000	< 1 in 1,000,000
ongenital Finnish Nephrosis	< 1 in 50,000	< 1 in 1,000,000
osteff Optic Atrophy Syndrome	< 1 in 50,000	< 1 in 1,000,000
ystic Fibrosis ystinosis	1 in 6,500 1 in 22,000	< 1 in 1,000,000 < 1 in 1,000,000



MALE DONOR 10346

DONOR 10346 DOB:

Ethnicity: African or African

American

**Barcode:** 11004212653717

FEMALE N/A

Disease	DONOR 10346 Residual Risk	Reproductive Risk
D-bifunctional Protein Deficiency	1 in 9,000	< 1 in 1,000,000
Delta-sarcoglycanopathy	< 1 in 40,000	< 1 in 1,000,000
Dihydrolipoamide Dehydrogenase Deficiency	< 1 in 50,000	< 1 in 1,000,000
Dysferlinopathy	1 in 11,000	< 1 in 1,000,000
Dystrophinopathy (Including Duchenne/Becker Muscular Dystrophy)	Not calculated	Not calculated
ERCC6-related Disorders	1 in 19,000	< 1 in 1,000,000
ERCC8-related Disorders		< 1 in 1,000,000
EVC-related Disorders EVC-related Ellis-van Creveld Syndrome	1 in 7,300	
•	1 in 7,500	< 1 in 1,000,000
EVC2-related Ellis-van Creveld Syndrome	< 1 in 50,000	< 1 in 1,000,000
Fabry Disease	< 1 in 1,000,000	1 in 80,000
Familial Dysautonomia	< 1 in 50,000	< 1 in 1,000,000
Familial Mediterranean Fever	< 1 in 50,000	< 1 in 1,000,000
Fanconi Anemia Complementation Group A	1 in 3,100	< 1 in 1,000,000
Fanconi Anemia, FANCC-related	< 1 in 50,000	< 1 in 1,000,000
FKRP-related Disorders	1 in 19,000	< 1 in 1,000,000
FKTN-related Disorders	< 1 in 50,000	< 1 in 1,000,000
Galactokinase Deficiency	1 in 35,000	< 1 in 1,000,000
Galactosemia	1 in 7,000	< 1 in 1,000,000
Gamma-sarcoglycanopathy	1 in 3,000	< 1 in 1,000,000
Gaucher Disease	1 in 310	1 in 150,000
GJB2-related DFNB1 Nonsyndromic Hearing Loss and Deafness	1 in 4,700	1 in 890,000
GLB1-related Disorders	1 in 19,000	< 1 in 1,000,000
GLDC-related Glycine Encephalopathy	1 in 2,800	< 1 in 1,000,000
Glutaric Acidemia, GCDH-related	1 in 16,000	< 1 in 1,000,000
Glycogen Storage Disease Type Ia	1 in 18,000	< 1 in 1,000,000
Glycogen Storage Disease Type Ib	1 in 35,000	< 1 in 1,000,000
Glycogen Storage Disease Type III	1 in 16,000	< 1 in 1,000,000
GNPTAB-related Disorders	1 in 32,000	< 1 in 1,000,000
GRACILE Syndrome	< 1 in 50,000	< 1 in 1,000,000
HADHA-related Disorders	1 in 25,000	< 1 in 1,000,000
Hb Beta Chain-related Hemoglobinopathy (Including Beta Thalassemia and Sickle Cell Disease)	1 in 950	1 in 38,000
Hereditary Fructose Intolerance	1 in 23,000	< 1 in 1,000,000
Herlitz Junctional Epidermolysis Bullosa, LAMA3-related	< 1 in 50,000	< 1 in 1,000,000
Herlitz Junctional Epidermolysis Bullosa, LAMB3-related	< 1 in 50,000	< 1 in 1,000,000
Herlitz Junctional Epidermolysis Bullosa, LAMC2-related	< 1 in 50,000	< 1 in 1,000,000
Hexosaminidase A Deficiency (Including Tay-Sachs Disease)	1 in 30,000	< 1 in 1,000,000
HMG-CoA Lyase Deficiency	< 1 in 33,000	< 1 in 1,000,000
Holocarboxylase Synthetase Deficiency	1 in 15,000	< 1 in 1,000,000
Homocystinuria Caused by Cystathionine Beta-synthase Deficiency	1 in 25,000	< 1 in 1,000,000
Hydrolethalus Syndrome	< 1 in 50,000	< 1 in 1,000,000
Hypophosphatasia	1 in 22,000	< 1 in 1,000,000
Inclusion Body Myopathy 2	< 1 in 50,000	< 1 in 1,000,000
Isovaleric Acidemia	1 in 25,000	< 1 in 1,000,000
Joubert Syndrome 2	< 1 in 50,000	< 1 in 1,000,000
KCNJ11-related Familial Hyperinsulinism	< 1 in 50,000	< 1 in 1,000,000
Krabbe Disease	1 in 15,000	< 1 in 1,000,000
LAMA2-related Muscular Dystrophy	1 in 17,000	< 1 in 1,000,000
Leigh Syndrome, French-Canadian Type		
Leigh Synatonie, French-Canadian Type	< 1 in 50,000	< 1 in 1,000,000 < 1 in 1,000,000
Lineid Congonital Advanal Urmarulasia		< 1 111 1,000,000
	< 1 in 50,000	z 1 := 1 000 000
Lysosomal Acid Lipase Deficiency	1 in 30,000	< 1 in 1,000,000
Lysosomal Acid Lipase Deficiency Maple Syrup Urine Disease Type 1B	1 in 30,000 1 in 25,000	< 1 in 1,000,000
Lysosomal Acid Lipase Deficiency Maple Syrup Urine Disease Type 1B Maple Syrup Urine Disease Type Ia	1 in 30,000 1 in 25,000 1 in 26,000	< 1 in 1,000,000 < 1 in 1,000,000
Lysosomal Acid Lipase Deficiency Maple Syrup Urine Disease Type 1B Maple Syrup Urine Disease Type Ia Maple Syrup Urine Disease Type II	1 in 30,000 1 in 25,000 1 in 26,000 1 in 13,000	< 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000
Lysosomal Acid Lipase Deficiency Maple Syrup Urine Disease Type 1B Maple Syrup Urine Disease Type Ia Maple Syrup Urine Disease Type II Medium Chain Acyl-CoA Dehydrogenase Deficiency	1 in 30,000 1 in 25,000 1 in 26,000 1 in 13,000 1 in 6,000	< 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000
Lysosomal Acid Lipase Deficiency Maple Syrup Urine Disease Type 1B Maple Syrup Urine Disease Type Ia Maple Syrup Urine Disease Type II Medium Chain Acyl-CoA Dehydrogenase Deficiency Megalencephalic Leukoencephalopathy with Subcortical Cysts	1 in 30,000 1 in 25,000 1 in 26,000 1 in 13,000 1 in 6,000 < 1 in 50,000	< 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000
Lysosomal Acid Lipase Deficiency Maple Syrup Urine Disease Type 1B Maple Syrup Urine Disease Type Ia Maple Syrup Urine Disease Type II Medium Chain Acyl-CoA Dehydrogenase Deficiency Megalencephalic Leukoencephalopathy with Subcortical Cysts	1 in 30,000 1 in 25,000 1 in 26,000 1 in 13,000 1 in 6,000	< 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000
Lipoid Congenital Adrenal Hyperplasia Lysosomal Acid Lipase Deficiency Maple Syrup Urine Disease Type 1B Maple Syrup Urine Disease Type Ia Maple Syrup Urine Disease Type II Medium Chain Acyl-CoA Dehydrogenase Deficiency Megalencephalic Leukoencephalopathy with Subcortical Cysts Metachromatic Leukodystrophy Methylmalonic Acidemia, cbIA Type	1 in 30,000 1 in 25,000 1 in 26,000 1 in 13,000 1 in 6,000 < 1 in 50,000	< 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000 < 1 in 1,000,000
Lysosomal Acid Lipase Deficiency Maple Syrup Urine Disease Type 1B Maple Syrup Urine Disease Type Ia Maple Syrup Urine Disease Type Ia Maple Syrup Urine Disease Type II Medium Chain Acyl-CoA Dehydrogenase Deficiency Megalencephalic Leukoencephalopathy with Subcortical Cysts Metachromatic Leukodystrophy Methylmalonic Acidemia, cbIA Type	1 in 30,000 1 in 25,000 1 in 26,000 1 in 13,000 1 in 6,000 < 1 in 50,000 1 in 16,000	< 1 in 1,000,000 < 1 in 1,000,000
Lysosomal Acid Lipase Deficiency Maple Syrup Urine Disease Type 1B Maple Syrup Urine Disease Type Ia Maple Syrup Urine Disease Type Ia Maple Syrup Urine Disease Type II Medium Chain Acyl-CoA Dehydrogenase Deficiency Megalencephalic Leukoencephalopathy with Subcortical Cysts Metachromatic Leukodystrophy Methylmalonic Acidemia, cbIA Type Methylmalonic Acidemia, cbIB Type	1 in 30,000 1 in 25,000 1 in 26,000 1 in 13,000 1 in 6,000 < 1 in 50,000 1 in 16,000 < 1 in 50,000	< 1 in 1,000,000 < 1 in 1,000,000
Lysosomal Acid Lipase Deficiency Maple Syrup Urine Disease Type 1B Maple Syrup Urine Disease Type Ia Maple Syrup Urine Disease Type II Maple Syrup Urine Disease Type II Medium Chain Acyl-CoA Dehydrogenase Deficiency Megalencephalic Leukoencephalopathy with Subcortical Cysts Metachromatic Leukodystrophy	1 in 30,000 1 in 25,000 1 in 26,000 1 in 13,000 1 in 6,000 < 1 in 50,000 1 in 16,000 < 1 in 50,000 < 1 in 50,000	< 1 in 1,000,000 < 1 in 1,000,000



MALE DONOR 10346

DONOR 10346 DOB:

Ethnicity: African or African

American

Barcode: 11004212653717

FEMALE N/A

Disease	DONOR 10346 Residual Risk	Reproductive Risk
Mucolipidosis IV	< 1 in 50,000	< 1 in 1,000,000
Mucopolysaccharidosis Type I	1 in 16,000	< 1 in 1,000,000
Mucopolysaccharidosis Type II	< 1 in 1,000,000	1 in 300,000
Mucopolysaccharidosis Type IIIA	1 in 16,000	< 1 in 1,000,000
Mucopolysaccharidosis Type IIIB	1 in 31,000	< 1 in 1,000,000
Mucopolysaccharidosis Type IIIC	1 in 43,000	< 1 in 1,000,000
Muscle-eye-brain Disease	< 1 in 12,000	< 1 in 1,000,000
MUT-related Methylmalonic Acidemia	1 in 18,000	< 1 in 1,000,000
MYO7A-related Disorders	1 in 15,000	< 1 in 1,000,000
NEB-related Nemaline Myopathy	1 in 1,200	1 in 400,000
Nephrotic Syndrome, NPHS2-related	1 in 35,000	< 1 in 1,000,000
Niemann-Pick Disease Type C	1 in 19,000	< 1 in 1,000,000
Niemann-Pick Disease Type C2	< 1 in 50,000	< 1 in 1,000,000
Niemann-Pick Disease, SMPD1-associated	1 in 25,000	< 1 in 1,000,000
Nijmegen Breakage Syndrome	1 in 16,000	< 1 in 1,000,000
Northern Epilepsy	< 1 in 50,000	< 1 in 1,000,000
Ornithine Transcarbamylase Deficiency	< 1 in 1,000,000	1 in 140,000
PCCA-related Propionic Acidemia	1 in 4,200	< 1 in 1,000,000
PCCB-related Propionic Acidemia	1 in 22,000	< 1 in 1,000,000
PCDH15-related Disorders	1 in 3,300	< 1 in 1,000,000
Pendred Syndrome	1 in 7,000	< 1 in 1,000,000
Peroxisome Biogenesis Disorder Type 3	1 in 44,000	< 1 in 1,000,000
Peroxisome Biogenesis Disorder Type 4	1 in 9,300	< 1 in 1,000,000
Peroxisome Biogenesis Disorder Type 5	< 1 in 71,000	< 1 in 1,000,000
Peroxisome Biogenesis Disorder Type 6	< 1 in 50,000	< 1 in 1,000,000
PEX1-related Zellweger Syndrome Spectrum	1 in 11,000	< 1 in 1,000,000
Phenylalanine Hydroxylase Deficiency	1 in 16,000	< 1 in 1,000,000
Pompe Disease	1 in 5,900	< 1 in 1,000,000
PPT1-related Neuronal Ceroid Lipofuscinosis	1 in 7,700	< 1 in 1,000,000
Primary Carnitine Deficiency	1 in 16,000	< 1 in 1,000,000
Primary Hyperoxaluria Type 1	1 in 35,000	< 1 in 1,000,000
Primary Hyperoxaluria Type 2	< 1 in 50,000	< 1 in 1,000,000
Primary Hyperoxaluria Type 3	< 1 in 50,000 < 1 in 50,000	< 1 in 1,000,000 < 1 in 1,000,000
Pycnodysostosis Pyruvate Carboxylase Deficiency	1 in 25,000	< 1 in 1,000,000
Rhizomelic Chondrodysplasia Punctata Type 1	1 in 16,000	< 1 in 1,000,000
RTEL1-related Disorders	< 1 in 50,000	< 1 in 1,000,000
Salla Disease	< 1 in 30,000	< 1 in 1,000,000
Sandhoff Disease	1 in 30,000	< 1 in 1,000,000
Segawa Syndrome	< 1 in 50,000	< 1 in 1,000,000
Short-chain Acyl-CoA Dehydrogenase Deficiency	1 in 9,700	< 1 in 1,000,000
Sjogren-Larsson Syndrome	1 in 9,100	< 1 in 1,000,000
Smith-Lemli-Opitz Syndrome	< 1 in 50,000	< 1 in 1,000,000
Spastic Paraplegia Type 15	< 1 in 50,000	< 1 in 1,000,000
	SMN1: 3+ copies	
Spinal Muscular Atrophy	1 in 4,300	< 1 in 1,000,000
Spondylothoracic Dysostosis	< 1 in 50,000	< 1 in 1,000,000
Sulfate Transporter-related Osteochondrodysplasia	1 in 11,000	< 1 in 1,000,000
TGM1-related Autosomal Recessive Congenital Ichthyosis	1 in 22,000	< 1 in 1,000,000
TPP1-related Neuronal Ceroid Lipofuscinosis	1 in 30,000	< 1 in 1,000,000
Tyrosinemia Type I	1 in 16,000	< 1 in 1,000,000
Tyrosinemia Type II	1 in 25,000	< 1 in 1,000,000
USH1C-related Disorders	1 in 35,000	< 1 in 1,000,000
USH2A-related Disorders	1 in 2,200	< 1 in 1,000,000
Usher Syndrome Type 3	< 1 in 50,000	< 1 in 1,000,000
Very-long-chain Acyl-CoA Dehydrogenase Deficiency	1 in 14,000	< 1 in 1,000,000
Wilson Disease	1 in 8,600	< 1 in 1,000,000
X-linked Adrenoleukodystrophy	1 in 90,000	1 in 42,000
X-linked Alport Syndrome	Not calculated	Not calculated
X-linked Congenital Adrenal Hypoplasia	< 1 in 1,000,000	< 1 in 1,000,000
X-linked Juvenile Retinoschisis	< 1 in 1,000,000	1 in 50,000
X-linked Myotubular Myopathy	Not calculated	Not calculated



MALE DONOR 10346

DOB: Ethnicity: African or African

American

Barcode: 11004212653717

FEMALE N/A

Disease	DONOR 10346 Residual Risk	Reproductive Risk 1 in 200,000 < 1 in 1,000,000	
X-linked Severe Combined Immunodeficiency	< 1 in 1,000,000		
Xeroderma Pigmentosum Group A	< 1 in 50,000		
Xeroderma Pigmentosum Group C	1 in 7,300	< 1 in 1,000,000	